




 **PRECIS-ION™**  
Air Ion Counters  
by  ALPHA LAB INC.  
MODEL AIC3Pro QUICK START GUIDE

The **Precis-Ion™ Air Ion Counter Model AIC3Pro** is a Gerdien condenser air ion meter. During operation, a blower draws air, and the electrical charge from air ions (charged air molecules) is measured. The air ion count is calculated and displayed.



### Charging the AIC3Pro:

The AIC3Pro's rechargeable Li battery typically provides 7 hours of continuous operation. The meter may be charged with the supplied USB cable/charger. The meter may also be charged via a USB A port on a PC, laptop, or cell phone power pack. The meter can be operated indefinitely while charging.

### Data Recording:

Air ion measurements can be recorded on the supplied (user accessible) Micro SD card. Date/time stamped air ion levels, temperature and humidity are recorded in a standard spreadsheet format. Recording intervals are selectable. Press "Menu" to access recording start/stop.

## Grounding the AIC3Pro:

At high ion levels, such as generated by ionizers, the ground cable must be used. At lower levels, holding the meter (with the kickstand removed) maintains sufficient ground reference, provided that your body doesn't build up a static charge. Occasionally touching a pipe or the screw on a light switch plate will ensure accurate readings.




A 10ft. (3 meter) ground cable is included, with connectors for grounding (earthing) the AIC3Pro to a standard wall outlet (mains), ESD mats, or metal water pipes.



Warning! Be sure static electricity is removed by properly grounding the meter prior to connecting to desktop or laptop PC. Failing to do so may damage the AIC3Pro and/or the computer!

## Reading the Main Display:


The AIC3Pro Air Ion Counter features a brightly backlit, 128x128 pixel display that displays the following:



## Reading the Dual Display:


This mode allows for the measurement and display of both ion polarities side-by-side, with the same scale setting. At the same time, the SUM feature adds the total number of positive and negative air ions and displays the cumulative count.

### Dual-Polarity Indicators



## Button Functions and Menu:

The AIC3Pro features short-cut and navigation buttons:



### Main Menu:

Press the Menu (Enter) button to access the main menu. From this screen, use the up/down arrow buttons to highlight, select, and change meter settings. For more information on menus and settings, see AICPro Manual.

Included 3-in-1 combination accessory:



Table-top  
Kickstand



Wall Mount



Tripod Mount


### Using the Static Shield:

Use the included static shield to minimize electric field interference when measuring ions at low levels ( $1999.99 \times 10^3$  or 2 million scale). Simply slide the cap over the top 1/2" of the meter until it seats firmly and proceed to measure. This shield must be removed when measuring high ion levels (200 million scale).



### AlphaApp Windows PC Software Utility:

To download the AlphaApp data logging software utility, go to: <https://www.alphalabinc.com/alphaapp>  
Once the software is installed, connect the AIC3Pro Air Ion Counter via the included USB-C to USB-A cable. With AlphaApp, previously recorded data, or live streaming data can be saved and plotted.



To download the full AIC3Pro Owners Manual with full descriptions of menu settings, spec table, and FAQ, scan our QR Code:



[alphalabinc.com/product/aic3/](http://alphalabinc.com/product/aic3/)

## More Questions?

Visit [www.alphalabinc.com](http://www.alphalabinc.com)

or Call Toll-Free (USA) 1-800-658-7030

(Or Call 1-801-487-9492)

WEEKDAYS 9am-5pm MST

Thank you for purchase!

For more on our gaussmeters, emi/emf detectors, or surface voltmeters, please visit [www.alphalabinc.com](http://www.alphalabinc.com)



The Precis-Ion™ Air Ion Counter Model AIC3Pro is Designed and Manufactured by:

# ALPHALAB INC.

3005 South 300 West, Salt Lake City, Utah 84115 ph: 801-487-9492  
[www.alphalabinc.com](http://www.alphalabinc.com) email: [mail@trifield.com](mailto:mail@trifield.com)